



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

XXXIV. *Account of a Mole from North America : In a Letter to Dr. Maty, Sec. R. S. from the Hon. Daines Barrington, F. R. S.*

DEAR SIR,

May 15, 1771

Read May 15, 1771. **I** Send herewith a mole from North America, which Mr. Kuckahn (who hath before presented several birds and insects to the Society) desires they will do him the honour to place in their Museum.

This species of mole much resembles that of Europe in its general appearance, except in point of colour : to shew, however, that there is a very material and specific difference between the two animals, I have inclosed the head of the common English mole, which contains all the teeth belonging to each jaw.

The American specimen is not indeed so perfect in this respect ; but a sufficient number of teeth remains, to shew the distinction between these two sorts of moles.

In the European, you will observe six cutting teeth in the upper jaw, which are followed by two canine ones.

In the American (on the other hand) there are two very long and large cutting teeth in the centre, calculated to fill the vacancy in the lower jaw, which contains only two short cutting teeth, followed immediately by two long canine ones.

In the lower jaw of the European mole, however, there are eight small cutting, without the intervention of any canine teeth. I am,

Dear Sir,

Your most faithful

humble servant,

Daines Barrington.